

Table 1.37A Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	11,177	10,768	5,942	5,865	5,192	4,879
AGE						
18-25	2,565	2,581	1,071	1,076	1,485	1,496
26-49	5,825	5,968	3,252	3,258	2,538	2,701
50 or Older	2,786	2,219	1,618	1,532	1,169 ^a	682
GENDER						
Male	3,488	3,518	1,707	1,694	1,765	1,810
Female	7,689	7,250	4,234	4,171	3,427	3,069
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	9,687	9,674	5,136	5,363	4,509	4,290
White	8,170	7,845	4,441	4,452	3,708	3,372
Black or African American	1,081	1,070	489	456	572	614
American Indian or Alaska Native	77	107	*	*	30	33
Native Hawaiian or Other Pacific Islander	11	14	*	*	9	13
Asian	152	311	*	*	89	172
Two or More Races	195	328	*	*	100	86
Hispanic or Latino	1,490 ^a	1,095	805 ^a	502	683	589
CURRENT EMPLOYMENT						
Full-Time	4,530	4,342	2,199	2,050	2,309	2,275
Part-Time	2,224	1,968	1,140	1,060	1,077	905
Unemployed	1,053	1,068	432	494	616	574
Other ³	3,371	3,391	2,171	2,261	1,189	1,125

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.37B Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	4.9	4.6	18.9	18.6	2.6	2.4
AGE						
18-25	7.6	7.6	28.9	27.7	4.9	4.9
26-49	5.9	6.1	22.3	22.4	3.0	3.2
50 or Older	2.9 ^a	2.2	12.4	11.7	1.4 ^b	0.8
GENDER						
Male	3.2	3.2	16.3	15.4	1.8	1.8
Female	6.5	6.0	20.3	20.3	3.5	3.1
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	4.9	4.9	17.8	18.4	2.7	2.5
White	5.2	5.1	17.5	17.4	2.8	2.6
Black or African American	4.1	4.0	20.8	22.4	2.4	2.5
American Indian or Alaska Native	7.2	8.3	*	*	3.3	3.0
Native Hawaiian or Other Pacific Islander	1.7	1.6	*	*	1.4	1.6
Asian	1.5	2.8	*	*	0.9	1.6
Two or More Races	7.4	10.0	*	*	4.6	3.1
Hispanic or Latino	4.7 ^b	3.2	32.3 ^a	20.5	2.3	1.9
CURRENT EMPLOYMENT						
Full-Time	4.0	3.8	16.9	16.0	2.3	2.2
Part-Time	6.7	6.1	24.5	21.9	3.8	3.3
Unemployed	7.1	7.9	21.9	25.9	4.9	4.9
Other ³	5.0	4.8	18.5	18.8	2.2	1.9

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.38A Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Numbers in Thousands, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	11,177	10,768	5,942	5,865	5,192	4,879
GEOGRAPHIC REGION						
Northeast	1,846	1,885	889	965	956	919
Midwest	2,533	2,507	1,377	1,487	1,153	1,011
South	4,021	3,584	2,074	1,885	1,926	1,689
West	2,777	2,793	1,601	1,528	1,157	1,260
COUNTY TYPE						
Large Metro	5,986	5,341	3,100	2,746	2,864	2,588
Small Metro	3,415	3,747	1,789	2,125	1,605	1,615
250K – 1 Mil. Pop.	2,375	2,458	1,284	1,390	1,087	1,066
< 250K Pop.	1,039	1,289	505 ^a	735	518	549
Nonmetro	1,777	1,680	1,052	994	723	676
Urbanized	861	777	554	420	307	356
Less Urbanized	784	768	425	486	358	273
Completely Rural	132	135	73	88	58	47
POVERTY LEVEL³						
Less Than 100%	2,480	2,694	1,391	1,552	1,071	1,142
100-199%	2,543	2,552	1,425	1,486	1,117	1,052
200% or More	6,082	5,459	3,094	2,807	2,963	2,642
GOVERNMENT ASSISTANCE⁴						
Yes	3,407	3,677	2,021	2,248	1,372	1,430
No	7,770	7,091	3,921	3,618	3,820	3,449
HEALTH INSURANCE⁵						
Private	5,952	5,480	3,220	2,843	2,732	2,628
Medicaid/CHIP ⁶	1,714	1,868	1,045	1,385	649	479
Other ⁷	1,895	1,574	1,133	1,211	751 ^b	363
No Coverage	2,605	2,758	1,171	1,170	1,410	1,577

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.38B Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Percentages, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	4.9	4.6	18.9	18.6	2.6	2.4
GEOGRAPHIC REGION						
Northeast	4.4	4.4	14.2	16.2	2.7	2.5
Midwest	5.1	5.0	19.0	19.8	2.7	2.4
South	4.8	4.2	19.3	16.8	2.6	2.3
West	5.3	5.2	22.4	22.2	2.5	2.7
COUNTY TYPE						
Large Metro	4.9	4.3	19.7	17.6	2.7	2.4
Small Metro	4.9	5.2	17.0	19.7	2.7	2.6
250K – 1 Mil. Pop.	5.1	5.0	18.1	19.9	2.8	2.5
< 250K Pop.	4.4	5.5	14.8	19.4	2.6	2.8
Nonmetro	4.9	4.6	20.6	19.2	2.3	2.2
Urbanized	5.5	5.2	24.1	18.6	2.3	2.8
Less Urbanized	4.4	4.4	18.5	19.9	2.3	1.8
Completely Rural	3.9	3.5	14.4	18.9	2.0	1.4
POVERTY LEVEL³						
Less Than 100%	8.4	8.3	29.5	30.0	4.3	4.2
100-199%	5.4	5.4	22.3	23.1	2.7	2.6
200% or More	4.0	3.6	15.4	14.2	2.3	2.0
GOVERNMENT ASSISTANCE⁴						
Yes	8.5	8.2	25.5	26.9	4.3	3.9
No	4.1	3.8	16.7	15.6	2.3	2.1
HEALTH INSURANCE⁵						
Private	4.0	3.6	15.9	14.3	2.1	2.0
Medicaid/CHIP ⁶	8.1	8.1	22.9	27.0	3.9 ^a	2.7
Other ⁷	3.5	2.8	14.1	14.9	1.6 ^b	0.8
No Coverage	6.8	7.3	33.2	35.3	4.1	4.6

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.39A (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	8,680	8,541	5,177	4,932	3,466	3,585
AGE						
18-25	1,826	1,829	867	841	955	978
26-49	4,633	4,910	2,897	2,786	1,701 ^a	2,115
50 or Older	2,222	1,802	1,413	1,304	809	492
GENDER						
Male	2,707	2,730	1,399	1,427	1,292	1,288
Female	5,973	5,812	3,778	3,505	2,173	2,297
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	7,667	7,746	4,545	4,565	3,086	3,160
White	6,600	6,314	3,980	3,807	2,600	2,487
Black or African American	787	847	414	389	357	458
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	82	202	*	*	35	*
Two or More Races	138	*	*	*	*	64
Hispanic or Latino	1,014	795	632 ^a	366	379	425
CURRENT EMPLOYMENT						
Full-Time	3,409	3,267	1,885	1,629	1,503	1,622
Part-Time	1,694	1,539	959	894	729	643
Unemployed	802	859	361	399	441	460
Other ³	2,775	2,876	1,972	2,010	792	860

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.39B (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	21.0	20.7	29.7	29.4	14.6	14.7
AGE						
18-25	29.8	28.8	43.4	40.4	23.1	23.0
26-49	22.5	24.6	32.7	34.0	14.6 ^a	18.1
50 or Older	15.2	12.0	21.4	20.0	10.1 ^a	5.8
GENDER						
Male	16.5	17.2	25.3	26.5	11.9	12.3
Female	24.0	22.8	31.7	30.7	16.8	16.4
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	21.0	21.1	28.7	29.3	15.0	15.0
White	22.3	21.4	28.5	28.3	16.6	15.6
Black or African American	17.4	19.4	31.3	30.7	11.3	14.8
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	5.7 ^a	13.7	*	*	3.0	*
Two or More Races	24.0	*	*	*	*	14.0
Hispanic or Latino	21.0	17.4	39.6	30.6	11.8	12.6
CURRENT EMPLOYMENT						
Full-Time	19.6	19.5	28.1	27.0	14.1	15.1
Part-Time	27.4	23.6	39.7	33.8	19.4	16.6
Unemployed	24.0	27.1	27.5	36.5	21.7	22.2
Other ³	19.3	19.4	28.1	28.6	10.9	11.1

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.40A (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Numbers in Thousands, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	8,680	8,541	5,177	4,932	3,466	3,585
GEOGRAPHIC REGION						
Northeast	1,391	1,358	764	810	627	548
Midwest	2,030	2,015	1,216	1,219	813	786
South	3,088	2,929	1,780	1,570	1,286	1,348
West	2,171	2,240	1,418	1,333	740	902
COUNTY TYPE						
Large Metro	4,692	4,181	2,746	2,265	1,928	1,909
Small Metro	2,562	2,979	1,480	1,799	1,062	1,172
250K – 1 Mil. Pop.	1,763	1,938	1,038	1,178	722	758
< 250K Pop.	799	1,041	442 ^a	621	340	414
Nonmetro	1,427	1,381	951	868	475	505
Urbanized	738	650	516	381	223	268
Less Urbanized	570	631	364	412	204	210
Completely Rural	119	100	*	*	*	*
POVERTY LEVEL³						
Less Than 100%	1,896	2,298	1,173	1,344	710	954
100-199%	2,072	2,109	1,292	1,275	779	820
200% or More	4,660	4,099	2,685	2,299	1,951	1,789
GOVERNMENT ASSISTANCE⁴						
Yes	2,785	3,106	1,737	1,955	1,034	1,150
No	5,895	5,435	3,440	2,976	2,432	2,435
HEALTH INSURANCE⁵						
Private	4,534	4,179	2,798 ^a	2,306	1,736	1,864
Medicaid/CHIP ⁶	1,373	1,519	934	1,176	424	338
Other ⁷	1,558	1,306	1,015	1,026	532 ^a	279
No Coverage	2,006	2,254	978	1,016	1,005	1,226

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.40B (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Any Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Percentages, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	21.0	20.7	29.7	29.4	14.6	14.7
GEOGRAPHIC REGION						
Northeast	17.7	19.6	22.7	25.7	14.0	14.5
Midwest	21.7	22.3	30.0	30.8	15.3	15.6
South	21.1	19.1	29.7	26.3	15.0	14.5
West	22.9	22.3	35.0	35.8	13.7	14.4
COUNTY TYPE						
Large Metro	21.9	20.2	31.3	28.0	15.3	15.1
Small Metro	19.6	21.9	26.2	30.9	14.3	15.1
250K – 1 Mil. Pop.	19.9	21.5	27.3	31.1	14.3	14.5
< 250K Pop.	18.8	22.6	24.0	30.5	14.2	16.2
Nonmetro	20.9	20.0	31.4	30.3	12.6	12.6
Urbanized	25.0	21.8	37.9	30.9	14.1	15.3
Less Urbanized	17.2	19.1	26.7	30.2	10.6	11.0
Completely Rural	20.7	16.0	*	*	*	*
POVERTY LEVEL³						
Less Than 100%	26.0	27.3	36.7	39.1	17.4	19.1
100-199%	21.3	21.6	33.0	32.6	13.5	14.0
200% or More	19.3	17.9	26.1	24.5	14.1	13.3
GOVERNMENT ASSISTANCE⁴						
Yes	25.7	24.8	33.8	35.9	18.2	16.4
No	19.4	18.9	27.9	26.3	13.4	14.0
HEALTH INSURANCE⁵						
Private	19.2	18.6	27.3	24.6	13.0	14.3
Medicaid/CHIP ⁶	22.6	22.8	30.8	35.1	14.1	10.3
Other ⁷	15.9	13.5	22.9	22.6	9.9 ^a	5.4
No Coverage	25.5	27.9	40.9	49.0	18.5	20.5

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Any Mental Illness (AMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for AMI presented in this table may differ from previously published AMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Any Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.41A (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	3,910	3,883	2,807	2,643	1,087	1,230
AGE						
18-25	706	712	406	399	298	307
26-49	2,271	2,235	1,651	1,480	606	755
50 or Older	933	936	750	763	*	*
GENDER						
Male	1,153	1,230	718	736	421	489
Female	2,757	2,653	2,089	1,907	665	741
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	3,473	3,598	2,515	2,503	944	1,085
White	2,905	3,006	2,130	2,152	760	844
Black or African American	409	340	*	*	*	*
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	*	*	*	*	*	*
Two or More Races	*	*	*	*	*	*
Hispanic or Latino	*	285	*	*	*	*
CURRENT EMPLOYMENT						
Full-Time	1,401	1,312	1,012	773	388	536
Part-Time	642	636	429	463	*	172
Unemployed	393	426	*	*	*	*
Other ³	1,475	1,508	1,157	1,209	306	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.41B (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	42.0	43.1	44.7	45.3	36.1	39.0
AGE						
18-25	53.1	55.0	57.1	59.4	48.4	49.7
26-49	44.3	45.2	47.9	47.1	36.3	42.0
50 or Older	32.7	33.9	35.3	37.8	*	*
GENDER						
Male	34.6	38.2	35.5	38.7	32.6	37.5
Female	46.1	45.8	49.1	48.5	38.6	40.1
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	41.9	44.1	44.5	45.9	36.1	40.3
White	43.2	43.6	44.8	45.0	39.0	40.1
Black or African American	39.8	45.8	*	*	*	*
American Indian or Alaska Native	*	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	*	*	*	*	*	*
Two or More Races	*	*	*	*	*	*
Hispanic or Latino	*	33.6	*	*	*	*
CURRENT EMPLOYMENT						
Full-Time	40.0	42.4	44.3	44.8	32.1	39.3
Part-Time	47.3	42.5	51.3	49.9	*	30.5
Unemployed	42.5 ^a	57.9	*	*	*	*
Other ³	41.7	41.0	45.1	42.9	32.1	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.42A (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Numbers in Thousands, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	3,910	3,883	2,807	2,643	1,087	1,230
GEOGRAPHIC REGION						
Northeast	603	540	363	367	*	*
Midwest	1,001	927	767	674	232	252
South	1,227	1,264	907	819	320	435
West	1,079	1,153	769	782	295	*
COUNTY TYPE						
Large Metro	2,141 ^a	1,690	1,531 ^b	1,039	608	648
Small Metro	1,106 ^b	1,538	765 ^b	1,117	326	414
250K – 1 Mil. Pop.	792	990	549	704	240	284
< 250K Pop.	314 ^b	548	*	413	*	*
Nonmetro	664	656	511	487	*	169
Urbanized	*	321	*	*	*	*
Less Urbanized	*	283	*	*	*	*
Completely Rural	*	*	*	*	*	*
POVERTY LEVEL³						
Less Than 100%	1,051	1,213	753	872	285	341
100-199%	921	935	660	617	262	308
200% or More	1,921	1,723	1,382	1,146	536	577
GOVERNMENT ASSISTANCE⁴						
Yes	1,497	1,642	1,028	1,270	456	371
No	2,413	2,242	1,779 ^a	1,373	631 ^a	859
HEALTH INSURANCE⁵						
Private	1,818	1,644	1,372	1,090	446	554
Medicaid/CHIP ⁶	744	794	564	663	*	*
Other ⁷	787	715	558	585	*	*
No Coverage	963	1,042	591	578	369	458

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*. Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 1.42B (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Receipt of Past Year Mental Health Treatment, and Geographic and Socioeconomic Characteristics: Percentages, 2010 and 2011

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2010	2011	2010	2011	2010	2011
TOTAL	42.0	43.1	44.7	45.3	36.1	39.0
GEOGRAPHIC REGION						
Northeast	36.6	37.6	31.9	39.4	*	*
Midwest	44.0	44.0	47.2	45.9	35.8	39.5
South	39.5	40.7	46.1	43.5	28.1	36.0
West	47.4	48.9	49.8	50.4	41.2	*
COUNTY TYPE						
Large Metro	45.8	40.7	49.4 ^a	39.8	38.5	42.1
Small Metro	37.2 ^a	47.1	37.5 ^b	51.0	35.7	38.9
250K – 1 Mil. Pop.	37.9	47.3	38.4 ^a	51.8	36.4	39.0
< 250K Pop.	35.6	46.7	*	49.5	*	*
Nonmetro	40.0	41.2	44.9	47.1	*	30.6
Urbanized	*	46.8	*	*	*	*
Less Urbanized	*	37.0	*	*	*	*
Completely Rural	*	*	*	*	*	*
POVERTY LEVEL³						
Less Than 100%	50.7	48.9	55.5	54.1	40.5	39.1
100-199%	41.5	42.6	47.5	45.5	31.4	37.0
200% or More	38.5	40.2	39.3	40.2	36.5	40.2
GOVERNMENT ASSISTANCE⁴						
Yes	48.7	46.9	49.1	51.8	47.1	35.5
No	38.7	40.7	42.5	40.6	30.8 ^a	40.7
HEALTH INSURANCE⁵						
Private	38.2	41.5	40.3	43.0	33.0	38.7
Medicaid/CHIP ⁶	44.0	39.1	45.2	43.6	*	*
Other ⁷	36.0	36.8	36.2	38.3	*	*
No Coverage	50.5	52.8	59.1	60.4	40.7	45.7

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown information on unmet need were excluded.

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older with Serious Mental Illness, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded.

³ Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds. Respondents aged 18 to 22 who were living in a college dormitory were excluded.

⁴ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

⁵ Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

⁶ CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

⁷ Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.